DOC - 4

# NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA SURATHKAL
# HOSTELS TRUST®

POST-SRINIVASNAGAR, MANGALURU – 575 025 (D K)

**Phone: (0824) 2473104**
**E-mail: Hosteloffice@nitk.edu.in**

**Mobile: 6364244536**
**Website: http://www.nitk.ac.in**

# TENDER DOCUMENT

Tender Notification No:7/NITKSH/Gym Equipments/2026-27/Supdt. Date: 12/11/2026

| | |
|---|---|
| **Name of Goods** | Supply and Installation of Gym Equipment for Girls Hostel Gym |
| **Estimated amount** | ₹ 3,40,000/- (GST inclusive) |
| **E M D Amount** | ₹ 6,800/- |
| **Time for Supply of item** | 1 Week |
| **Last Date for submission of Quotation** | 04/12/2026 before 3.00 PM |
| **Bid Opening Date** | 04/12/2026 at 4.15 PM (if possible) |
| **Contact person for tender query** | Professor In-charge, Hostels,<br>Phone: +91-824-2473104,<br>Mob: 6364244536<br>Email: hosteloffice@nitk.edu.in |
| **Address for Submission of Quotation** | NITK Hostel Office, First floor,<br>Sahyadri Hostel Block building,<br>Srinivasnagar,<br>Mangalore – 575025 |

एनआईटीकेएस छात्रावास ट्रस्ट(आर) / NITKS HOSTELS TRUST (R)

**राष्ट्रीय प्रौद्योगिकी संस्थान कर्नाटक, सुरत्कल, मंगलूरु-५७५०२५**
(राष्ट्रीय महत्व का संस्थान, एनआईटीएसईआर अधिनियम के तहत स्थापित, भारत सरकार)
**National Institute of Technology Karnataka, Surathkal, Mangaluru – 575025**
(An Institute of National Importance, Established under NITSER Act, Government of India)
दूरभाष / Phone:0824-2473104, ई-मेल / E-mail: hosteloffice@nitk.edu.in, वेबसाइट / Website: http://hostels.nitk.edu.in

Tender Notification No: 7/NITKSH/Gym Equipments/2026-27/Supdt. Date: 12/11/2026

## NOTICE INVITING TENDER (NIT)

The sealed Tenders are invited for the following items in **two cover systems** (i.e., Technical bid and financial bid) subject to the following terms and conditions, from the reputed manufacturers or it's authorised dealers to reach this office on or before the scheduled date and time**.** The tender (Technical bid) will be opened on the same day if possible in the presence of bidders or their authorized agents who may choose to be present. The financial bid of only such bidders whose technical bid is accepted shall be opened on the same day or later pre-informed date.

| | |
|---|---|
| **Name of Goods** | Supply and Installation of Gym Equipment for Girls Hostel Gym |
| **Estimated amount** | ₹ 3,40,000/- (GST inclusive) |
| **E M D Amount** | ₹ 6,800/- |
| **Time for Supply of item** | 1 Week |
| **Last Date for submission of Quotation** | 04/12/2026 before 3.00 PM |
| **Bid Opening Date** | 04/12/2026 at 4.15 PM (if possible) |
| **Contact person for tender query** | Professor In-charge, Hostels,<br>Phone: +91-824-2473104,<br>Mob: 6364244536<br>Email: hosteloffice@nitk.edu.in |
| **Address for Submission of Quotation** | NITK Hostel Office, First floor,<br>Sahyadri Hostel Block building,<br>Srinivasnagar,<br>Mangalore – 575025 |

Note: The NITKSH shall not be responsible for any postal delay about non-receipt /non-delivery of the bids or due to wrong addressee.

***Sd/-***
Professor In-charge, Hostels

## SECTION 1: INSTRUCTION TO BIDDER (ITB)

1. **The bid should be submitted in two covers System-Technical Bid and Financial Bid**:

1.1 **Envelope No.1 – Technical Bid:** The agencies should give details of their technical soundness and provide a list of customers of previous supply of similar items to Universities, Institutes or Government Departments/ Undertakings/ public sectors with contact details. The details of the Bidder/ profile should be furnished along with a copy of all related documents. This envelope should be sealed and duly super-scribed as "**Envelope No. 1 – Technical Bid**". Full name and address of the Bidder should also be mentioned on the envelope and should be addressed to The Professor In charge, NITK, Surathkal.

1.2. **Documents to be submitted in the technical bid:**

a) The Bidder should possess a Licence certificate from the competent authority for the manufacture /supply of the item.
b) List of Owners/partners of the firm and their contact numbers.
c) The Bidder should possess an Income tax PAN Number.
d) The Bidder should possess GST registration.
e) Catalogue of the Product with detailed product specifications.
f) List of customers with contact details.
g) The average annual turnover should not be less than 30% of the estimated cost put to tender/Tender for the job work. The copy of the Balance sheet, Profit & Loss A/c., Trade or Manufacturing A/c for the last 3 years should be enclosed.
h) **Warranty Period Offered for the tendered item to be specified. If the Warranty period is not conforming to the schedule of requirements given in section 3 of the document, the bid is liable to be treated as non-responsive and rejected.**
i) **EMD in an original form through NEFT/RTGS/DD drew on any scheduled bank in favour of "Professor In charge NITK, Surathkal", payable at Surathkal should be submitted. EMD shall bear no interest. Any bid not accompanying with EMD is liable to be treated as non-responsive and rejected.**
j) **Contract form given in section 5 needs to be submitted.**

**The above documents should be furnished in the technical bid envelope**.1

2**. Envelope No.2 – Financial bid:** The agencies should submit their financial bid as per the format is given in Section 4 of the Notice Inviting Tender in this cover. The rate should be quoted both in words and figures. All the pages of the financial bid should be signed affixing the seal. All corrections and overwriting should be initiated. This envelope should be duly superscribed as "**Envelope No. 2 – Financial bid".** Full name and address of the Bidder should also be mentioned on the envelope and should be addressed to Professor In charge, NITK, Surathkal.

**Both the Envelope No. 1 and 2 should be kept in another separate envelope duly superscribed with the following details.**
**(i) Tender Notification Number (ii) "Tender for the supply of……..." (iii) Not to Open before (Date and Time)**

**Mention "Kind Attention: Contact Person's Name and Phone Number", and submit at the address given in the Notice Inviting Tender.**

3 The tender will be accepted only from the **manufacturers or its authorised supplier.**

4. The NITKSH **reserves the right to visit the factory/shop** before or after the issue of supply order to satisfy itself regarding the quality of production. In case of any remarks /default noted, the EMD will be forfeited even if pre-qualified.

5. **The Financial Bid shall be in the format of Price Schedule given in Section 4. The Contract form as per format is given in section 5 shall be submitted. The incomplete or conditional tender will be rejected.**

6. Details of the item to be carried out, approximate quantity and the specifications are mentioned in **"Section 3**" appended to this Notice Inviting Tender.

7. **The item to be used is strictly according to the specification and subject to test by the Institute/concerned authorities. It must be delivered in good working condition.**

8. The NITKSH **reserves the right to cancel or reduce the quantity** included in the schedule of requirements at any time after acceptance of the tender with notice. The Contractor/Supplier shall have no claim to any payment of compensation or otherwise whatsoever, on account of any profit or advantage which he might have derived from the execution of the work/supply in full but he did not derive in consequence of the foreclosure of the whole or part of the works.

9. **The release of EMD:** The EMD shall be released after receipt of performance security from the successful bidder and the EMD of the unsuccessful bidder will be returned within 45 days.

10. **The validity of bids:** The rate quoted should be valid for a minimum of 90 days. No claim for escalation of the rate will be considered after opening the Tender.

11 **Imports: In case goods are to be imported, the Indian agent should furnish an authorisation certificate by the principals abroad for submission of the bid in response to this Notice Inviting Tender.**

12 Clarification of Tender Document:
A prospective bidder requiring any clarification of the Tender Document may communicate to the contact person given in this notice inviting tender. The contact person will respond to any request for clarification for the Tender Document received not later than 5 working days prior to the last date for the receipt of bids

13 Amendment of Tender document: At any time prior to the last date for receipt of bids, the NITKSH may for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the Tender document by an amendment.

14 **The NITKSH may at its own discretion extend the last date for the receipt of bids.**

15 The bids shall be written in English language and any information printed in another language shall be accompanied by an English translation, in which case for the purpose of interpretation of the bid, the English translation shall govern.

16 The NITKSH reserves the right to accept any bid other than the lowest or even reject all the bids. The decision of the Institute Purchase Committee is final in all matters of tender and purchase.

17 **The Lowest bid (L1) will be finalized based on the overall total price. So, bidders need to participate in all the items.**

18 Any other details required may be obtained from the contact person given in the notice inviting tender during the office hours.

**DECLARATION**

I/we have not tampered/modified the tender forms in any manner. In case, if the same is found to be tampered/modified, I /we understand that my/our tender will be summarily rejected and full Earnest money deposit will be forfeited and I /we are/are liable to be banned from doing business with NITKSH and/or prosecuted.

**Signature of the Bidder :** _____

**Name and Designation:** _____

**Business Address :** _____

_____

**Place :** **Seal of the Bidder's Firm**
**Date :**

## SECTION 2: CONDITIONS OF CONTRACT.

1. In the case of import, both Customer Information File (CIF) and/ or Free on Board (FOB) rate should be quoted. All components of expenditure to arrive at Bangalore need to be explicitly specified.

2. The bidder shall indicate the excise duty exemption for the goods if applicable.

3. The rates should be quoted for preferably Freight on Road (FOR) destination from supply within India.

4. The rate quoted should be on a unit basis. Taxes and other charges should be quoted separately, considering exemptions if any.

5. The rate quoted should be inclusive of Testing, commissioning and Installation of equipment and Training.

6. Payment: No advance payment will be made. Payment will be made only after the supply of the item in good and satisfactory condition and receipt of performance security by the supplier. **In the case of Imports, the payment will be made through a Letter of Credit / Sight Draft / After Installation, and performance security need to be submitted at the time of a Letter of Credit commitment/issue of sight draft.**

7. Guarantee and Warranty period should be specified for the complete period conforming to section 3 of this tender document.

8. The period required for the supply and installation of the item should be specified conforming to section 3 of this tender document.

9. In case of dispute, the matter will be subject to Mangalore Jurisdiction only.

## SECTION 3: SCHEDULE OF REQUIREMENTS, SPECIFICATIONS AND ALLIED DETAILS

[ To be filled up by the Department / Center of NITKSH, Surathkal]

Item(s) Name to be Procured : Supply and Installation of Gym Equipment for Girls Hostel gym.

Type (Equipment/Software/Furniture/Others) : Equipment

Brief Specifications of the Item(s) (Attach Additional Sheet if necessary) : As Per Annexure 'A'

Compliance Statement of Specifications (Attach Additional Sheet if necessary) : As Per Annexure 'B'

Warranty Period :

| Sl. No. | Equipment | Warranty Period |
|---|---|---|
| 1 | Full Commercial Non-Electric (Manual) Treadmill | 2 Years |
| 2 | Elliptical Cross Trainer – Commercial | 2 Years |
| 3 | Spin Bike – Commercial | 2 Years |
| 5 | Commercial Abdominal Crunch Machine | 2 Years |

Delivery Schedule expected after the release of a Purchase order (in Weeks) : 1 week

Performance Security to be given by Successful Bidder after release of Purchase Order (in Rupees) : 5% of Purchase Order

**SECTION 4 - PRICE BID (for indigenous Supplies)**
[ To be used by the bidder for submission of the bid]

Reference Number: Date:

| Sl. No. | Particulars | Brand and Model Number | Rate per unit ₹ | Tax per unit ₹ | Amount per unit ₹ | Qty (Nos) | Total Amount ₹ |
|---|---|---|---|---|---|---|---|
| 1 | Full commercial AC Motorised Treadmill | | | | | 1 | |
| 2 | Elliptical Cross Trainer-Commercial | | | | | 1 | |
| 3 | Spin Bike-Commercial | | | | | 1 | |
| 4 | Commercial Abdominal Crunch Machine | | | | | 1 | |
| 5 | Yoga Mat | | | | | 6 | |
| | **Total** | | | | | | |

**Place:** **Seal of the Bidder's Firm**
**Date:**

## SECTION 5: CONTRACT FORM

[ To be provided by the bidder in the business letter head]

1. [Name of the Supplier's Firm] hereby abide to deliver them by the delivery schedule mentioned in section 3 tender document for the supply of the items if the purchase order is awarded.

2. The item will be supplied conforming to the specifications stated in the tender document without any defect and deviations.

3. Warranty will be given for the period mentioned in the tender document and service will be rendered to the satisfaction of NITKSH, Surathkal during this period.

**Signature of the Bidder :** _____

**Name and Designation:** _____

**Business Address :** _____

_____

**Place :** **Seal of the Bidder's Firm**
**Date :**

**Detailed Specification:** **Annexure-'A'**

| Sl. No. | Description | Specification |
|---|---|---|
| 1 | Full commercial Non-Electric (Manual) Treadmill | Drive system: Self-propelled / Manual |
| | | Running deck: curved running platform |
| | | Running surface: Minimum 1600 × 480 mm |
| | | Belt type: Heavy-duty slatted running belt |
| | | Speed: User-controlled, unlimited speed |
| | | Resistance: Minimum 3 adjustable resistance levels |
| | | Resistance mechanism: Magnetic/manual resistance |
| | | Display: LED / LCD console |
| | | Display functions: Speed, time, distance and calories |
| | | Heart rate: Pulse monitoring |
| | | Frame: Heavy-duty commercial steel frame |
| | | Maximum user weight: Minimum 180 kg |
| | | Handrails: Ergonomic safety handrails |
| | | Transportation: Built-in transportation wheels |
| | | Approximate dimensions: 2000 × 900 × 1530 mm |
| | | Machine weight: Approximately 150–180 kg |
| 2 | Commercial Elliptical Cross Trainer | Resistance system: Magnetic resistance |
| | | Resistance levels: Minimum 20 levels |
| | | Stride length: Minimum 450 mm |
| | | Maximum user weight: Minimum 150 kg |
| | | Flywheel: Heavy-duty flywheel |
| | | Drive system: Smooth belt-driven system |
| | | Display: LED / LCD digital display |
| | | Display functions: Time, speed, distance, calories and RPM |
| | | Workout programs: Multiple preset workout programs |
| | | Heart rate monitoring: Hand pulse sensors |
| | | Pedals: Large, non-slip foot pedals |
| | | Handlebars: Dual-action movable handlebars |
| | | Fixed handlebars: Ergonomic stationary handlebars |
| | | Frame: Heavy-duty commercial steel frame |
| | | Motion: Smooth, low-impact elliptical motion |
| | | Incline: Adjustable incline, if provided |
| | | Transportation: Built-in transportation wheels |
| | | Stability: Heavy-duty stabilisers and level adjusters |

| | | |
|---|---|---|
| 3 | Commercial Spin Bike | Flywheel weight: Minimum 18 kg |
| | | Resistance system: Magnetic / Friction resistance |
| | | Resistance adjustment: Manually adjustable resistance |
| | | Drive system: Heavy-duty belt drive |
| | | Maximum user weight: Minimum 150 kg |
| | | Handlebar: Multi-position adjustable handlebar |
| | | Saddle: Height and horizontal adjustable saddle |
| | | Pedals: Heavy-duty commercial-grade pedals |
| | | Pedal straps: Adjustable safety straps |
| | | Display: LED / LCD digital display |
| | | Display functions: Time, speed, distance, calories and RPM |
| | | Emergency brake: Quick-stop emergency braking system |
| | | Frame: Heavy-duty commercial steel frame |
| | | Crank system: Heavy-duty crank and axle assembly |
| | | Seat adjustment: Multiple height adjustment positions |
| | | Handlebar adjustment: Multiple height adjustment positions |
| | | Stabilisation: Adjustable stabilising feet |
| | | Transportation: Built-in transportation wheels |
| 4 | Commercial Abdominal Crunch Machine | Frame material: Heavy-duty steel frame |
| | | Weight stack: Minimum 60 kg |
| | | Maximum user weight: Minimum 150 kg |
| | | Exercise type: Seated abdominal crunch |
| | | Seat: Adjustable seat |
| | | Upholstery: High-density foam with durable upholstery |
| | | Back support: Ergonomically designed back support |
| | | Handle grips: Non-slip ergonomic handles |
| | | Cable system: Heavy-duty steel cable |
| | | Pulley system: Commercial-grade smooth pulley system |
| | | Resistance system: Sectorized weight stack |
| | | Weight stack guard: Fully enclosed protective weight stack cover |
| | | Weight selection: Easy-access selector pin |
| | | Foot support: Non-slip foot support |
| | | Base structure: Heavy-duty stable base |
| | | Finish: Scratch-resistant powder-coated finish |
| | | Safety: Safety stops and secure weight stack mechanism |
| | | Usage: Suitable for continuous commercial gym use |
| 5 | Yoga Mat | Material: TPE / NBR / EVA / PVC or equivalent |
| | | Material safety: Non-toxic and skin-friendly |
| | | Length: Minimum 183 cm |
| | | Width: Minimum 61 cm |
| | | Thickness: Minimum 8 mm |

| | | |
|---|---|---|
| | | Surface finish: Textured, non-slip surface |
| | | Grip: Anti-skid on both sides |
| | | Cushioning: Shock-absorbing material |
| | | Joint support: Adequate cushioning for knees, elbows and spine |
| | | Moisture resistance: Sweat and moisture resistant |
| | | Durability: Tear-resistant and long-lasting |
| | | Flexibility: Flexible and rollable design |
| | | Cleaning: Easy to clean and maintain |
| | | Hygiene: Odour-resistant and easy to sanitise |
| | | Surface texture: Comfortable, smooth and skin-friendly |
| | | Edge finish: Properly finished edges to prevent peeling |
| | | Portability: Lightweight and easy to carry |

**Compliance Statement of Specifications:** **Annexure –'B'**

| Sl. No. | Description | Specification | Compliance Whether YES or NO | Deviations if any to be indicated in unambiguous terms |
|---|---|---|---|---|
| 1 | Full commercial Non-Electric (Manual) Treadmill | Drive system: Self-propelled / Manual | | |
| | | Running deck: curved running platform | | |
| | | Running surface: Minimum 1600 × 480 mm | | |
| | | Belt type: Heavy-duty slatted running belt | | |
| | | Speed: User-controlled, unlimited speed | | |
| | | Resistance: Minimum 3 adjustable resistance levels | | |
| | | Resistance mechanism: Magnetic/manual resistance | | |
| | | Display: LED / LCD console | | |
| | | Display functions: Speed, time, distance and calories | | |
| | | Heart rate: Pulse monitoring | | |
| | | Frame: Heavy-duty commercial steel frame | | |
| | | Maximum user weight: Minimum 180 kg | | |
| | | Handrails: Ergonomic safety handrails | | |
| | | Transportation: Built-in transportation wheels | | |
| | | Approximate dimensions: 2000 × 900 × 1530 mm | | |
| | | Machine weight: Approximately 150–180 kg | | |
| 2 | Elliptical Cross Trainer – Commercial | Resistance system: Magnetic resistance | | |
| | | Resistance levels: Minimum 20 levels | | |
| | | Stride length: Minimum 450 mm | | |
| | | Maximum user weight: Minimum 150 kg | | |
| | | Flywheel: Heavy-duty flywheel | | |
| | | Drive system: Smooth belt-driven system | | |
| | | Display: LED / LCD digital display | | |
| | | Display functions: Time, speed, distance, calories and RPM | | |
| | | Workout programs: Multiple preset workout programs | | |
| | | Heart rate monitoring: Hand pulse sensors | | |
| | | Pedals: Large, non-slip foot pedals | | |
| | | Handlebars: Dual-action movable handlebars | | |
| | | Fixed handlebars: Ergonomic stationary handlebars | | |

| | | | | |
|---|---|---|---|---|
| | | Frame: Heavy-duty commercial steel frame | | |
| | | Motion: Smooth, low-impact elliptical motion | | |
| | | Incline: Adjustable incline, if provided | | |
| | | Transportation: Built-in transportation wheels | | |
| | | Stability: Heavy-duty stabilisers and level adjusters | | |
| 3 | Spin Bike – Commercial | Flywheel weight: Minimum 18 kg | | |
| | | Resistance system: Magnetic / Friction resistance | | |
| | | Resistance adjustment: Manually adjustable resistance | | |
| | | Drive system: Heavy-duty belt drive | | |
| | | Maximum user weight: Minimum 150 kg | | |
| | | Handlebar: Multi-position adjustable handlebar | | |
| | | Saddle: Height and horizontal adjustable saddle | | |
| | | Pedals: Heavy-duty commercial-grade pedals | | |
| | | Pedal straps: Adjustable safety straps | | |
| | | Display: LED / LCD digital display | | |
| | | Display functions: Time, speed, distance, calories and RPM | | |
| | | Emergency brake: Quick-stop emergency braking system | | |
| | | Frame: Heavy-duty commercial steel frame | | |
| | | Crank system: Heavy-duty crank and axle assembly | | |
| | | Seat adjustment: Multiple height adjustment positions | | |
| | | Handlebar adjustment: Multiple height adjustment positions | | |
| | | Stabilization: Adjustable stabilizing feet | | |
| | | Transportation: Built-in transportation wheels | | |
| 4 | Commercial Abdominal Crunch Machine | Frame material: Heavy-duty steel frame | | |
| | | Weight stack: Minimum 60 kg | | |
| | | Maximum user weight: Minimum 150 kg | | |
| | | Exercise type: Seated abdominal crunch | | |
| | | Seat: Adjustable seat | | |
| | | Upholstery: High-density foam with durable upholstery | | |
| | | Back support: Ergonomically designed back support | | |
| | | Handle grips: Non-slip ergonomic handles | | |
| | | Cable system: Heavy-duty steel cable | | |

| | | | | |
|---|---|---|---|---|
| | | Pulley system: Commercial-grade smooth pulley system | | |
| | | Resistance system: Sectorized weight stack | | |
| | | Weight stack guard: Fully enclosed protective weight stack cover | | |
| | | Weight selection: Easy-access selector pin | | |
| | | Foot support: non-slip foot support | | |
| | | Base structure: Heavy-duty stable base | | |
| | | Finish: Scratch-resistant powder-coated finish | | |
| | | Safety: Safety stops and secure weight stack mechanism | | |
| | | Usage: Suitable for continuous commercial gym use | | |
| 5 | Yoga Mat | Material: TPE / NBR / EVA / PVC or equivalent | | |
| | | Material safety: Non-toxic and skin-friendly | | |
| | | Length: Minimum 183 cm | | |
| | | Width: Minimum 61 cm | | |
| | | Thickness: Minimum 8 mm | | |
| | | Surface finish: Textured, non-slip surface | | |
| | | Grip: Anti-skid on both sides | | |
| | | Cushioning: Shock-absorbing material | | |
| | | Joint support: Adequate cushioning for knees, elbows and spine | | |
| | | Moisture resistance: Sweat and moisture resistant | | |
| | | Durability: Tear-resistant and long-lasting | | |
| | | Flexibility: Flexible and rollable design | | |
| | | Cleaning: Easy to clean and maintain | | |
| | | Hygiene: Odour-resistant and easy to sanitise | | |
| | | Surface texture: Comfortable, smooth and skin-friendly | | |
| | | Edge finish: Properly finished edges to prevent peeling | | |
| | | Portability: Lightweight and easy to carry | | |

**Signature and Seal of the Bidder**