NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL

DEPARTMENT OF OFFICE OF THE RESIDENT ENGINEER POST SRINIVASNAGAR, MANGALURU – 575025 (DK)

Phone : [0824] 2474000 2474033 E – mail: <u>info@nitk.ac.in</u> <u>http://www.nitk.ac.in</u> Fax: [0824]

Website:



NOTICE INVITING QUOTATIONS

Notification	: Store/EI-SQ-0	06-05-2019			
Name of goods	: Electrical materials				
Estimate Amount	: Rs. 195000.00				
EMD Amount	: NIL				
Time for supply of items After release of Purchase	} order∫	: Seven Days			
Last date for submission of Quotation		: 21-05-2019 before 3.30 PM			
Address for submission of Quotation		: Office of the Resident Engineer, Post Srinivasnagar, Surathkal, Mangaluru – 575025 [DK]			
Date of opening of Quotation possible]		: 21.05.2019 at 4.00 PM [if			

OFFICE OF THE RESIDENT ENGINEER

NATIONALINSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL

Srinivasnagar Post: 575 025 - MANGALURU - D.K.

No. Stores/EI-SQ-01/2019-20/AC4

NOTICE INVITING QUOTATIONS

The National Institute of Technology Karnataka, Surathkal (in short - NITK, Surathkal or Institute) is an autonomous Institute of the Govt. of India [under the Ministry of HRD] imparting technical and science education. The Institute intends to purchase the electrical materials as listed in the sheet enclosed. In this connection, sealed quotations are invited by the undersigned subject to the terms and conditions enumerated hereunder from the manufacturers/ authorized dealers/ agencies to reach this office on or before **21-05-2019 by 3:30 PM**. The quotations shall be opened on the same day if possible.

Terms and conditions:

- The intending bidder shall quote his rates in the 'Quotation Format' enclosed hear with either in his letter head or using the same format. He shall sign each page with seal of the firm. Envelope super scripted as "Quotation for the supply of Electrical materials; Due on 21-05-2019" and addressed to as "The Resident Engineer, NITK, Surathkal, Post Srinivasnagar, Mangaluru – 575025" be sent to reach this office on or before the due date mentioned.
- 2. The GST registration number and the PAN number of the bidder shall be mentioned in the quotation. Quotation without this information will not be accepted.
- 3. Quotation may be dropped in the Tender Box kept in the office or may be sent by post/ courier. It is the responsibility of the bidder to make sure that the quotation is delivered in time. The quotations received after the due date will not be entertained.
- 4. The bidder shall specify the make of material for which the rate is offered by him.
- 5. The bidder shall mention the Warranty period of the material for which the rate is offered by him (if applicable).
- 6. GST rate as applicable shall be mentioned clearly.
- 7. The rate quoted shall be valid for 120 days for its acceptance.
- 8. The quotation/ bid shall be accepted or parts thereof depending on the lowest rate quoted for individual items. The bidder shall supply the materials accordingly.
- 9. The material (s) should be supplied within 7 days from the date of confirmation of acceptance of the quotation.
- 10. The material supplied should be strictly as per the specification specified, without which the material will be rejected.
- 11. In case of rejection of material, one more chance shall be given for its replacement with the material conforming to the specification specified. Failure to supply the material as per the specification will result in debarring the bidder for participation in bids for a minimum of one year.
- 12. No advance payment will be made. The payment shall be made within 30 days from the date of supply of material along with the bill. No interest will be paid for delayed payments if any.
- 13. The rate quoted should be firm. No claim for enhancement of rate is admissible after opening of the Quotations.
- 14. Terms and conditions stipulated in this Notice inviting conditions are binding on the bidder.

Sd-Resident Engineer

Phone: (0824) 2473029, Extn: 3028 & 3031, Fax: (0824) 2474000-023 Date: 06/05/2019 Name and Address of the Bidder:

GST registration number: -

PAN number:-

Date:- -05-2019

QUOTATION

То

The Resident Engineer, Office of the Resident Engineer, N.I.T.K., Surathkal.

S. N	Description of the items	Brand/ Make	Qnty	Rate	GST	Amt
1	Switch / socket / other electrical accessories suitable for work on 230V 50Hz supply					
	1) 6 amps SP Switch bakelite		500 nos			
	2) 6 amps 3way 5 pin socket bakelite		300 nos			
	3) 6 amps 3 pin top, bakelite		50 nos			
	4) 16 amps SP Switch bakelite	Anchor	150 nos			
	5) 6/16 amps 3 way 5 pin socket, bakelite	Penta, Lisha, Livon, Cona	150 nos			
	6) 6 amps slant holder B 22 base, bakelite		100 nos			
	7) 6 amps holder adaptor		50 nos			
	8) 6 amps batten holder B 22 base, bakelite		100 nos			
	9) Fan regulator electronic step type (socket size)		50 nos			
	10) Fan regulator resistance step type		100 nos			
2	FRLS PVC insulated 1100V grade multistrand copper with low conductor resistance wire.	Finolex, RR Kable, Polycab				
	1) 1.5 sq.mm		10 coils			
	2) 2.5 sq.mm		10 coils			
	3) 4.0 sq.mm		5 coils			
	4) 6.0 sq.mm		2 coils			

3	Anchor Roma 3 Modular surface box (white)	Anchor	25 nos
5	Allenor Roma 5 Woddiar Sanace box (Write)	Roma	251103
4	Anchor Roma 3 Modular switch plate (white)	Anchor	25 nos
4	Anchor Roma 5 Modular Switch plate (white)	Roma	251105
5	204 one way 1 medular Switch suitchle for work	Anchor	
Э	20A one way 1 modular Switch suitable for work		
	on 230V 50Hz supply	woods	
6	2 Modular Step regulator suitable for work on	Anchor	
	230V 50Hz supply	woods	
7	Side holder regular type G 13 size (for Florescent		100 nos.
	tube) 240v 50Hz AC supply		
8	TVS Bolt nuts with washers and Nyloc nut		250 nos
	1½" long and ¼" thick (for fixing Fan)		
9	Plain tube Patti without choke and starter suitable		300 nos.
	for fixing G 13 led Tube light		
10	4 sq. mm 3 core submersible flat cable FRLS PVC		200 mtrs
	insulated low conductor resistance 1110 V grade		
	Make: Finolex, Polycab, RR Kable		
11	Heavy gauge PVC conduit for electrical wiring	VIP /	
	application confirming to IS 2509.	Avonplast /	
	abb	Polycab /	25
	a) 19/20mm dia 2mm thick	Finolex/	length
		Modi	
12	2.5 sq. mm Aluminium PVC CTS wire single core		05 coils
13	6.0 sq. mm Aluminium CTS wire single core		10 coils